

# CNC machine

with servo motor drive


# EUROMod®

## Features

- space-saving
- fixed portal, movable table
- also available with gantry drive



Interesting application videos can be found on our YouTube channel. Just have a look!



**EuroMod MP 45**  
with operating panel iOP-19-TFT  
and open sliding door

## Technical Data

\* Dimensions with switch cabinet and open door!

	EuroMod MP 30	EuroMod MP 45	EuroMod MP 65
Processing areas X/Y/Z [mm]	610 / 300 / 300	610 / 470 / 300	910 / 650 / 300
Bench clamping area WxD [mm]	900 x 350	900 x 500	1200 x 700
Gap [mm]	365		
Dimensions WxDxH [mm]	1200 x 840 x 2118	1200 x 1150 x 2118	1520 x 1550 x 2118
Dimensions* WxDxH [mm]	1485 x 840 x 2413	1449 x 1150 x 2413	1769 x 1550 x 2413
Processing speed X/Y/Z [mm/s]	max. 250 mm/s		
Repeat accuracy [mm]	± 0,02		
Drive motors	servo motors		
Drive elements X/Y/Z	Ball screws, backlash-free adjustable		
Controller	CAN controller iMD with 3 or 4 drive controllers expandable to 12 axes (max. 6 interpolated & 6 handling axes), iPC, I/O module, PILZ safety PLC with standstill monitoring, power supply 48 V / 1000 W		
Operation	Operating panel iOP-19-TFT		
Weight (kg)	approx. 350	approx. 400	approx. 500
Software	Windows, WinRemote (optional: ProNC, isy 2.8)		
Connection values	230V, 16A		
Part-no.	<b>278010 363443</b>	<b>278011 363443</b>	<b>278012 363443</b>

